## **INVITATION FOR QUOTATION**

NO:- 09/AR/PU/DM/15-16 Date: 18<sup>th</sup> June 2015.

Competitive quotation from enlisted or reputed vendors are invited for the following goods/works with item wise detailed specifications given below.

## Repairing the Faculty (Gents) Toilet at Derozio Building Behind the RL-1 Lab in D.B.S at Presidency University, Kolkata- 700 073

Sl No	DESCRIPTION OF WORK	QUANTITY	UNIT
1	Stripping off worn out plaster and raking out joints of walls, celings	60	Sqm
	etc. upto any height and in any floor including removing rubbish		
	within a lead of 75m as directed.		
2	Applying 2 coats of bonding agent with synthetic multi functional	60	Sqm
	rubber emulsion having adhesive and water proofing properties by		
	mixing with water in proportion (1 bonding agent : 4 water : 6 cement)		
	as per Manufacturer's specification.		
3	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar	60	Sqm
	including rounding off or chamfering corners as directed and raking		
	out joints including throating, nosing and dripcourse, scaffolding/		
	staging where necessary.		
	With 1:4 cement mortar 20 mm thick plaster		
4	Cleaning the walls and ceiling by scraping sand papering and	26	Sqm
	smoothening down the surface including putting.		
5	Removal of rubbish, earth etc. from the working site and disposal of	4	Cum
	the same beyond the compound, in conformity with the Municipal /		
	Corporation Rules for such disposal, loading into truck and cleaning		
	the site in all respect as per direction of Engineer in charge.		
6	Rendering the surface of walls and ceiling with white cement based	32	Sqm
	wall putty of approved make and brand(1.5mm thick)		
7	Priming one coat on timber or plastered surface with synthetic oil	65	Sqm
	bound primer of approved quality including smoothening		
	surfaces by sand papering etc.		
8	Acrylic Distemper to interior wall, ceiling with a coat of solvent based	35	Sqm
	interior grade acrylic primer (as per manufacturer's specification)		
	including cleaning and smoothening of surface.		
	Two Coats		
9	Supplying, fitting and fixing in position fibre glass panes of approved	3	Sqm
	quality with resin, nail, clip etc. as per IS:12866-1989.		
	1.6 mm thick (2.5 Kg/Sq.m)		
10(a)	Painting with best quality synthetic enamel paint of approved make	34	Sqm
	and brand including smoothening surface by sandpapering etc.		
	including using of approved putty etc. on the surface, if necessary		
	:filling using white cement slurry @ 0.20kg/Sq.m.		
	Area of each tile upto 0.09 Sq.m		
	Coloured decorative		
	On timber or plastered surface :		
	With super gloss (hi-gloss) –		
	Two coats (with any shade except white)		

Sl No	DESCRIPTION OF WORK	QUANTITY	UNIT
10(b)	On steel or other metal surface :	8	Sqm
	With super gloss (hi-gloss) –		
	Two coats (with any shade except white		
11	Supplying, fitting & fixing 1st quality Ceramic tiles in walls and floors	7	Sqm
	to match with the existing work & 4 nos. of key stones (10mm) fixed		
	with analdite at the back of each tile & finishing the joints with white		
	cement mixed with colouring oxide if required to match the colour of		
	tiles including roughening of concrete surface, if necessary or by		
	synthetic adhesive & grout materials etc.		
	Floor		
	With Sand Cement Mortar (1:4) 20 mm thick & 2 mm thick cement		
	slurry at back side of tiles using cement @ 2.91 Kg/Sq.m& joint filling using white cement slurry @ 0.20kg/Sq.m.		
	Area of each tile above 0.09 Sq.m		
	Coloured decorative		
12	Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20	0.55	Cum
12	mm nominal size) excluding shuttering and reinforcement,	0.55	Cum
	Pakur Variety		
13	White washing including cleaning and smoothening surface	130	Sqm
10	thoroughly.		~ 4
	Two coats (to be done on specific instruction).		
14(a)	Supplying, fitting and fixing G.I. pipes of TATA make with all	6	Mtr.
1 (u)	necessary accessories, specials viz. socket, bend, tee, union, cross,	o o	14161.
	elbo, nipple, longscrew, reducing socket, reducing tee, short piece etc.		
	fitted with holder bats clamps, including cutting pipes, making threads,		
	fitting, fixing etc. complete in all respect including cost of all		
	necessary fittings as required, jointing materials and two coats of		
	painting with approved paint in any position above ground.		
	For Exposed Work		
	15 mm dia. light quality		
14(b)	25 mm dia. light quality	4	Mtr.
15	Supplying, fitting and fixing shower of approved brand and make.	2	Each
	Hand Shower(Health Faucet) with 1mtr Fexible Tube with Wall		
	Hook(Equivalent to Code No.573 & Model -ALLIED of Jaquar or		
	similar).		
16	Supplying, fitting and fixing 10 litre P.V.C. low-down cistern	2	Each
	conforming to I.S. specification with P.V.C. fittings complete, C.I.		
	brackets including two coats of painting to bracket etc.		
17	Supplying, fitting & fixing Cast iron soil pipe only conforming to I.S.	14	Mtr
	3989 / 1970 and I.S. 1729/1964 with bobbins, nails etc. including		
	making holes in the wall, floor etc. and cutting trenches etc. in any		
	floor through masonry concrete, if necessary, and mending good		
	damages with necessary jointing materials and painting two coats to		
	the exposed surface with approved paint complete.		
	With valamoid joints including sealing with sand cement morter (4:1)		
	upto quarter depth. 100 mm dia. (internal)		
18	Supplying, fitting & fixing H.C.I. bend with door conforming to I.S.S.	4	Each
10	including jointing complete and painting two coats to the exposed		
	surface with approved paint complete.		
	With valamoid joints including sealing the top with cement mortar		
	(4:1)		
	100 mm dia.		

Sl No	DESCRIPTION OF WORK	QUANTITY	UNIT
19	Supplying, fitting and fixing cast iron 'P' or 'S' trap conforming to I.S. 3989 / 1970 and 1729 / 1964 including lead caulked joints and painting two coats to the exposed surface.	4	Each
	'P' Trap 100 mm		
20	Supplying, fitting and fixing cast iron extension pipes for using in Traps only (connector) conforming to I.S.3989/1970 and 1729/1964 including lead caulked joints complete and painting two coats to the exposed surface with approved paint complete.  100 mm X 600 mm	4	Each
21	Supplying, fitting and fixing bib cock or stop cock. Chromium plated Bib Cock short body (Equivalent to Code No. 511 & Model - Tropical / Sumthing Special of ESSCO or similar brand).	4	Each
22	Supplying, fitting and fixing Anglo-Indian W.C. in white glazed vitreous china ware of approved make complete in position with necessary bolts, nuts etc.  With 'P' trap (with vent)	2	Each

- The contract shall be for the full quantity as described.
- The quotation shall be signed by the vendor with seal on each page of the document.
- The vendor is advised to inspect and examine the site before quoting the rates. **Please** contact with the office of the undersigned for any further clarifications.
- The rates to be quoted should be inclusive of all taxes. There will be no change of rates with market variation.
- The agency must stick to their work program including quality control of works firmly and monitor the works accordingly.
- The contractor shall start the work from the next day after the receipt of the work order.
- No payment in advance will be made.
- The Quotations would be evaluated for all items together.
- University reserves the right to accept or reject any quotations at any time prior to the award of contract.
- The site will be totally cleaned after completion of the work and before submission of bill by the vendors.
- As per University norms 10% (ten percent) of the total value of the Bill will be retained as Security deposit for defect liability period of 6 (Six) months if the value of the Work order is more than Rs. 50, 000/- (Rupees fifty thousand) only.
- Payment will be made after satisfactory completion of the work and production of bills with measurement sheet and other necessary documents.
- Sealed Quotations will be open on 26<sup>th</sup> June 2015 at 3.00 pm in the undersigned office. The Vendors are thereby requested to present on that specific time.

Sealed quotation to be submitted/delivered, within 25<sup>th</sup> June 2015 (1 pm) at the **Planning & Development Office**, 1<sup>st</sup> Floor, Main Building, Presidency University, 86/1, College Street, Kolkata-700073.

The University reserves the right to accept and/or reject any or all quotations without showing any reason.